			DB	Time stamp
L Number	Hits	Search Text		_
-	2598	(steel or metal or metallic) and cord and	EPO; JPO; DERWENT	2004/06/24 08:25
	2006	<pre>(sheath or core) ((steel or metal or metallic) and cord</pre>	EPO; JPO;	2004/06/23
	2000	and (sheath or core)) and (tire or tyre	DERWENT	13:50
	640	or rubber or belt)	EPO; JPO;	2004/06/23
_	642	(((steel or metal or metallic) and cord and (sheath or core)) and (tire or tyre	DERWENT	14:41
		or rubber or belt)) and diameter		
-	2641	(tyre or tire or rubber) and (steel or	USPAT	2004/06/23
		metal or metallic) and cord and (sheath or core) and diameter		11.12
_	536	((tyre or tire or rubber) and (steel or	USPAT	2004/06/23
		metal or metallic) and cord and (sheath or core) and diameter) and filament		14:42
_	298	(((tyre or tire or rubber) and (steel or	USPAT	2004/06/23
	250	metal or metallic) and cord and (sheath		14:59
		or core) and diameter) and filament) and		
	1439	(diameter same filament) 428/357	USPAT	2004/06/23
	1.00			15:02
_	2734	428/364	USPAT	2004/06/23
_	3816	428/357 or 428/364	USPAT	2004/06/23
			110222	15:02
	756	(428/357 or 428/364) and (steel or metal or metalic) and (rubber or tire or tyre	USPAT	2004/06/23 15:03
		or metalic) and (lubber of tile of tyle or elastomer\$2)		13.03
_	738	((428/357 or 428/364) and (steel or metal	USPAT	2004/06/23
		or metalic) and (rubber or tire or tyre or elastomer\$2)) not (((tyre or tire or		15:03
		rubber) and (steel or metal or metallic)		
		and cord and (sheath or core) and		·
		diameter) and filament) and (diameter		
_	275	same filament)) (((428/357 or 428/364) and (steel or	USPAT	2004/06/23
		metal or metalic) and (rubber or tire or		15:03
		tyre or elastomer\$2)) not ((((tyre or tire or rubber) and (steel or metal or		
		metallic) and cord and (sheath or core)		
		and diameter) and filament) and (diameter		
		same filament))) and (filament and diameter)		
_	294	((428/357 or 428/364) and (steel or metal	USPAT	2004/06/23
		or metalic) and (rubber or tire or tyre		15:04
_	792	or elastomer\$2)) and (sheath or core) (428/357 or 428/364) and (steel or metal	USPAT	2004/06/23
_	132	or metalic) and (rubber or tire or tyre	,	15:03
		or elastomer\$2)	USPAT	2004/06/23
_	774	((428/357 or 428/364) and (steel or metal or metalic) and (rubber or tire or tyre	OSEAT	15:04
		or elastomer\$2)) not (((tyre or tire or	1.	,
		rubber) and (steel or metal or metallic)		
		and cord and (sheath or core) and diameter) and filament) and (diameter		
		same filament))		2004/05/55
_	352		USPAT	2004/06/23 15:04
		<pre>metal or metalic) and (rubber or tire or tyre or elastomer\$2)) not (((tyre or</pre>		13.01
		tire or rubber) and (steel or metal or		
		metallic) and cord and (sheath or core) and diameter) and filament) and (diameter		
		same filament))) and filament and		
		diameter		0004/05/05
-	294	((428/357 or 428/364) and (steel or metal or metalic) and (rubber or tire or tyre	USPAT	2004/06/23
		or metallo and (rubber of tire of tyre or elastomer\$2)) and (sheath or core)		
1-	299	((428/357 or 428/364) and (steel or metal	USPAT	2004/06/23
	ľ	or metalic) and (rubber or tire or tyre or elastomer\$2)) and (sheath or core)		15:04
	L	Or erapromeratil and (phearm of core)		

			<u> </u>		
Γ	_	503	((((428/357 or 428/364) and (steel or	USPAT	2004/06/23 15:27
1			metal or metalic) and (rubber or tire or tyre or elastomer\$2)) not (((tyre or		13.27
l			tire or rubber) and (steel or metal or		
	ļ		metallic) and cord and (sheath or core)		
1			and diameter) and filament) and (diameter		
			same filament))) and filament and diameter) or (((428/357 or 428/364) and		
			(steel or metal or metalic) and (rubber		
			or tire or tyre or elastomer\$2)) and		
			(sheath or core))		0004/05/00
	-	0	57/\$.cclss	USPAT	2004/06/23 15:27
ļ		663	57/210	USPAT	2004/06/23
		. 005	377210		15:29
	-	255	57/211	USPAT	2004/06/23
			57 (010	USPAT	15:29 2004/06/23
	-	410	57/212	USPAI	15:29
	_	1	27/213	USPAT	2004/06/23
ł		_			15:29
	-	155	57/214	USPAT	2004/06/23 15:29
Ì		1.60	57/218	USPAT	2004/06/23
		160	J 1/ Z I U	22224	15:29
	_	1193	57/210 or 57/211 or 57/212 or 27/213 or	USPAT	2004/06/23
			57/214 or 57/218	перуш	15:29 2004/06/23
	-	321	(57/210 or 57/211 or 57/212 or 27/213 or 57/214 or 57/218) and (rubber or tyre or	USPAT	15:29
			tire)		10.23
	_	279	((57/210 or 57/211 or 57/212 or 27/213 or	USPAT	2004/06/23
l			57/214 or 57/218) and (rubber or tyre or		15:30
			tire)) and (steel or metal or metallic)	USPAT	2004/06/24
		637	57/902	OSPAI	08:25
	_	443	57/902 and (steel or wire or metal or	USPAT	2004/06/24
			metallic)		08:25
1	-	388	(57/902 and (steel or wire or metal or	USPAT	2004/06/24
			<pre>metallic)) and (sheath or core or strand or filament)</pre>		00.34
Ì	_	21	("3032963" "3336744" "3625272"	USPAT	2004/06/24
			"3726078" "3950590" "4158946"		09:40
			"4263957" "4349062" "4488587"		
			"4628683" "4721498" "4724663" "4749016" "4962803" "5050657"		
	1		"5211609" "5473878" "5502960"		
			"5759316" "5772808" "5802829").PN.		
-	-	2	"11050383"	EPO; JPO;	2004/06/24
		0	 "110601662"	DERWENT EPO; JPO;	09:42 2004/06/24
	-	"	110001002	DERWENT	09:42
	_	2	"11061662"	EPO; JPO;	2004/06/24
			H-1051550W	DERWENT	09:43
-	-	2	"11061663"	EPO; JPO; DERWENT	2004/06/24 09:43
İ	_	2	"11061666"	EPO; JPO;	2004/06/24
		,-		DERWENT	09:44
	_	582	152/451	USPAT	2004/06/24
		387	152/451 and (steel or metal or metallic	USPAT	2004/06/24
	_	38/	or wire)		09:44
	_	262	(152/451 and (steel or metal or metallic	USPAT	2004/06/24
			or wire)) and (strand or sheath or core)	HCDAE	11:14
	-	. 0	d007b01/06	USPAT	2004/06/24 11:14
	_	0	d007b1/06	USPAT	2004/06/24
					11:15
	-	135	d07b001/06	USPAT	2004/06/24
			d07h01/06	USPAT	11:15 2004/06/24
	-	0	d07b01/06	UDIAI	11:15
- 1		1		<u> </u>	

		171-01-/06	USPAT	2004/06/24
-	0	d7b01/06	OSFAI	11:15
				- - · - ·
-	18	d07b001/00	USPAT	2004/06/24
		·		11:16
<u>-</u>	3205	d07b001/06	EPO; JPO;	2004/06/24
			DERWENT	11:16
	3006	d07b001/06 and (steel or metal or	EPO; JPO;	2004/06/24
	3000	metallic or wire)	DERWENT	11:16
	1721		EPO; JPO;	2004/06/24
-	1/21	metallic or wire)) and (sheath or strand	DERWENT	11:16
			DEKWENT	
		or core)	EDO. TDO.	2004/06/24
-	1102	1 , ,	EPO; JPO;	
		metallic or wire)) and (sheath or strand	DERWENT	11:17
		or core)) and (cord)		
_	600	((d07b001/06 and (steel or metal or	EPO; JPO;	2004/06/24
		metallic or wire)) and (sheath or strand	DERWENT	11:59
		or core)) and filament		1
	4	"0881889"	EPO; JPO;	2004/06/24
	1	0001003	DERWENT	11:59
	2	"08081889"	EPO; JPO;	2004/06/24
_	2	00001009	DERWENT	11:59
			DEKMENT	11.00